

EAST Search History (23 pp.)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5397	((257/202) or (257/312) or (257/528) or (257/529) or (257/530) or (257/532) or (257/534)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/18 08:14
L2	338	1 and (capacitor anti-fuse anti-fuze antifuse antifuze anti (fuse fuze)) and ((inter\$1layer inter adj layer) adj dielectric ILD insulati\$2 adj (film layer)) and plug and (interconnect wire wiring) and (semiconductor silicon si)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 08:19
L3	236	1 and (capacitor anti-fuse anti-fuze antifuse antifuze anti (fuse fuze)) and ((inter\$1layer inter adj layer) adj dielectric ILD insulati\$2 adj (film layer)) and plug and (interconnect wire wiring) and (semiconductor silicon si) and @ad<"20031223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 08:25
L4	6	(dongbu.as. dongbuanam.as. (jung near1 kyung).in.) and (capacitor anti-fuse anti-fuze antifuse antifuze anti (fuse fuze)) and ((inter\$1layer inter adj layer) adj dielectric ILD insulati\$2 adj (film layer)) and plug and (interconnect wire wiring) and (semiconductor silicon si) and @ad<"20031223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 08:26
L5	19	(dongbu.as. dongbuanam.as. (jung near1 kyung).in.) and (capacitor anti-fuse anti-fuze antifuse antifuze anti (fuse fuze)) and ((inter\$1layer inter adj layer) adj dielectric ILD insulati\$2 adj (film layer)) and plug and (interconnect wire wiring) and (semiconductor silicon si)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 08:31
L6	61	(dongbu.as. dongbuanam.as. (jung near1 kyung).in.) and (capacitor anti-fuse anti-fuze antifuse antifuze anti (fuse fuze)).clm. and ((inter\$1layer inter adj layer) adj dielectric ILD insulati\$2 adj (film layer))"clm." and plug.clm. and (interconnect wire wiring).clm. and (semiconductor silicon si).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 08:32

EAST Search History

L7	3	(dongbu.as. dongbuanam.as. (jung near1 kyung).in.) and (capacitor anti-fuse anti-fuze antifuse antifuze anti (fuse fuze)).clm. and ((inter\$1layer inter adj layer) adj dielectric ILD insulati\$2 adj (film layer)).clm. and plug.clm. and (interconnect wire wiring).clm. and (semiconductor silicon si).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 08:32
S1	5	"743113".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/18 08:13
S2	2	("6495426").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 09:17
S3	1	jp-11145414\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 09:19
S4	3	S2 S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 09:19
S5	1	(anti-fuse anti adj fuse) and variable near3 capacitance near3 capacitor and semiconductor and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:27
S6	2	(anti-fuse anti adj fuse) and variable near3 capacitance and semiconductor and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:28
S7	5	(anti-fuse anti adj fuse) and variable near3 capacitance and semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:29
S8	132	(anti-fuse anti adj fuse fuse) and variable near3 capacitance and semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:29

EAST Search History

S9	1440	((257/528) or (257/529) or (257/530)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/27 17:05
S10	1089	(257/532).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/17 10:30
S11	2421	S9 S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:30
S12	108	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:31
S13	4	S12 and (variable varying) near3 capacitance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:36
S14	0	wo-0334452\$-\$\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:36
S15	0	wo-03034452\$-\$\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:42
S16	1237	variable adj capacitance.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:42
S17	15	variable adj capacitance.ti. and capacitor.ti. and semiconductor.ti, ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:44
S18	0	variable adj capacitance.ti. and capacitor.ti. and (fuse antifuse anti-fuse) and ("257"/\$9.ccls. "438"/\$8.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:45
S19	0	variable adj capacitance.ti. and capacitor.ti. and (fuse antifuse anti-fuse) and ("257"/\$9.ccls. "361"/\$8.ccls. "438"/\$8.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:45

EAST Search History

S20	1	variable adj capacitance.ti. and capacitor.ti. and (fuse antifuse anti-fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:48
S21	137	(257/312).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/17 10:56
S22	2	S21 and (fuse anti-fuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:49
S23	77	varactor and (fuse anti-fuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 10:57
S24	12	(US-20040147087-\$ or US-20020179957-\$ or US-20020074589-\$ or US-20020014651-\$).did. or (US-6835977-\$ or US-6825089-\$ or US-6818936-\$ or US-6583495-\$ or US-6437369-\$ or US-6218697-\$ or US-6211745-\$ or US-3860945-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/02/17 11:44
S25	0	varactor near10 (antifuse anti-fuse)	US-PGPUB; USPAT	OR	OFF	2005/02/17 11:45
S26	0	varactor near10 (antifuse anti-fuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 11:45
S27	6730	varactor near10 (diode antifuse anti-fuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 11:48
S28	414	varactor near10 (diode antifuse anti-fuse) and substrate and ("257"/\$8.ccls. "438"/\$8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 11:49

EAST Search History

S29	389	varactor near4 (diode antifuse anti-fuse) and substrate and ("257"/\$8.ccls. "438"/\$8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 11:49
S30	101	varactor near4 (diode antifuse anti-fuse).ti,ab,clm. and substrate and ("257"/\$8.ccls. "438"/\$8.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 13:56
S31	1	(varactor varacter variable adj capacitance) and (fuse anti-fuse anti adj fuse antifuse) and (mim metal-insulator-metal metal-oxide-metal) adj capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:00
S32	306	(varactor varacter variable adj capacitance) and (fuse anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:00
S33	28	(varactor varacter variable adj capacitance).ti,ab,clm. and (fuse anti-fuse anti adj fuse antifuse).ti,ab,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:05
S34	105	(varactor varacter variable adj capacitance).ti,ab,clm. and (fuse anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:06
S35	25	(varactor varacter variable adj capacitance).ti,ab,clm. and (fuse anti-fuse anti adj fuse antifuse) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:06
S36	6	(varactor varacter variable adj capacitance).ti,ab,clm. and (fuse anti-fuse anti adj fuse antifuse) and substrate and (plug contact adj hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:08

EAST Search History

S37	9212	(varactor varacter variable adj capacitance).ti,ab,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:08
S38	6	(varactor varacter variable near4 capacitance).ti,ab,clm. and (fuse anti-fuse anti adj fuse antifuse) and substrate and (plug contact adj hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:09
S39	8	(varactor varacter (vary variable) near4 capacitance).ti,ab,clm. and (fuse anti-fuse anti adj fuse antifuse) and substrate and (plug contact adj hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:10
S40	3	(US-6495426-\$).did. or (US-6495426-\$ or JP-11145414-\$).did.	USPAT; DERWENT	OR	OFF	2005/02/18 07:58
S41	2	("6278149").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 07:58
S42	4	(US-6495426-\$ or US-6278149-\$).did. or (US-6495426-\$ or JP-11145414-\$).did.	USPAT; DERWENT	OR	OFF	2005/02/18 08:01
S43	2	jp-09239594\$-\$).did.	USPAT; JPO; DERWENT	OR	OFF	2005/02/18 08:02
S44	0	"JP09239594"	USPAT; JPO; DERWENT	OR	OFF	2005/02/18 08:03
S45	0	sato.in. and trench adj capacitors.ti. and fuse adj element.ab.	JPO	OR	ON	2005/02/18 08:03
S46	0	sato.in. and trench adj capacitors.ti.	JPO	OR	ON	2005/02/18 08:04
S47	14	sato.in. and fuse adj element	JPO	OR	ON	2005/02/18 08:04

EAST Search History

S48	27	(US-20020014651-\$ or US-20020074589-\$ or US-20020179957-\$ or US-20030173644-\$ or US-20030183407-\$ or US-20030233882-\$ or US-20030233883-\$ or US-20040075158-\$ or US-20040129999-\$ or US-20040147087-\$ or US-20040150939-\$ or US-20040232520-\$).did. or (US-3860945-\$ or US-6211745-\$ or US-6218697-\$ or US-6278149-\$ or US-6437369-\$ or US-6495426-\$ or US-6583495-\$ or US-6818936-\$ or US-6825089-\$ or US-6835977-\$ or US-6837111-\$).did. or (JP-58123757-\$ or JP-411145414-\$).did. or (JP-11145414-\$ or US-6495426-\$). did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/02/18 10:12
S49	1	S48 and contact adj plug near3 metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 10:14
S50	776	contact adj plug near3 metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 10:14
S51	0	contact adj plug near3 metal and trench adj capacitor.ti,ab,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 10:14
S52	402	contact adj plug near3 metal and "257"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 10:15
S53	22	contact adj plug near3 metal and mim adj capacitor and "257"/\$7. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:21

EAST Search History

S54	0	contact adj plug near3 metal and mim adj capacitor and "257"/\$7. ccls. and anti-fuse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:18
S55	0	contact adj plug near3 metal and mim adj capacitor and "257"/\$7. ccls. and (anti adj fuse fuse anti-fuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:18
S56	40	contact adj plug near3 metal and buried adj contact and "257"/\$7. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:22
S57	29	contact adj plug near3 metal and buried adj contact and capacitor and "257"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 11:28
S58	38	trench adj capacitor.ti. and buried adj contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 11:28
S59	943	((438/255) or (438/957) or (438/379)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/18 12:33
S60	1	S59 and (varactor capacitor near3 variable) and (fuse anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 12:33

EAST Search History

S61	26	(US-20020014651-\$ or US-20020074589-\$ or US-20020179957-\$ or US-20030173644-\$ or US-20030183407-\$ or US-20030233882-\$ or US-20030233883-\$ or US-20040075158-\$ or US-20040129999-\$ or US-20040147087-\$ or US-20040150939-\$ or US-20040232520-\$).did. or (US-3860945-\$ or US-6211745-\$ or US-6218697-\$ or US-6278149-\$ or US-6437369-\$ or US-6495426-\$ or US-6583495-\$ or US-6818936-\$ or US-6825089-\$ or US-6835977-\$ or US-6837111-\$).did. or (JP-411145414-\$ or JP-58123757-\$).did. or (JP-11145414-\$ or US-6495426-\$). did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/07/26 14:43
S62	6	"976384".ap.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/07/26 14:43
S63	520	(antifuse anti-fuse) and (MIM adj electrode ((capacitor electrode) near10 (plug contact contact adj plug))) and ("257"/\$7.ccls. "365"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:06
S64	471	(antifuse anti-fuse) and (MIM adj electrode ((capacitor electrode) near10 (plug contact contact adj plug))) and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:46
S65	4	(antifuse anti-fuse) and (MIM adj electrode ((capacitor electrode) near10 (plug contact contact adj plug))) and ("257"/\$7.ccls. "438"/\$7.ccls.) and variable near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:44
S66	501	(antifuse anti-fuse anti adj fuse) and (DRAM FeRAM) and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:07
S67	85	(antifuse anti-fuse anti adj fuse) near10 (DRAM FeRAM) and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:30

EAST Search History

S68	501	(antifuse anti-fuse anti adj fuse) and (DRAM FeRAM) and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:31
S69	2508	(DRAM FeRAM dynamic adj random adj access adj memory) and second adj (capacitor anti-fuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:32
S70	1510	(DRAM FeRAM dynamic adj random adj access adj memory) and second adj (capacitor anti-fuse anti adj fuse) and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:34
S71	843	(DRAM FeRAM dynamic adj random adj access adj memory) and second adj (capacitor anti-fuse anti adj fuse).ti,ab,clm. and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:34
S72	341	(DRAM FeRAM dynamic adj random adj access adj memory).ti,ab,clm. and second adj (capacitor anti-fuse anti adj fuse).ti,ab,clm. and ("257"/\$7.ccls. "438"/\$7.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:35
S73	0	(antifuse anti-fuse) near6 protect\$3 near6 capacitor.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:11
S74	11	(antifuse anti-fuse) near6 protect\$3 near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:25
S75	129	anti-fuse adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:30
S76	0	anti-fuse adj layer near6 stack\$3 near6 capacitor and memory.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:31
S77	0	anti-fuse adj layer near6 stack\$3 near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:31

EAST Search History

S78	0	anti-fuse adj layer near6 ("on" "over") near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:32
S79	4	anti-fuse near6 ("on" "over") near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:33
S80	10	(antifuse anti-fuse) near6 ("on" "over") near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:38
S81	11	(antifuse anti-fuse) near6 (protect\$3) near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:39
S82	11	(antifuse anti-fuse) near6 (protect\$3) near6 capacitor and (antifuse anti-fuse) and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:41
S83	11	(antifuse anti-fuse) near6 (protect\$3) near6 capacitor and (antifuse anti-fuse) and (capacitor electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 08:42
S84	2429	(memory DRAM FeRAM MIM adj capacitor).ti,ab,clm. and (capacitor near2 series)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 09:42
S85	2405	(memory DRAM FeRAM).ti,ab,clm. and (capacitor near2 series)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 09:43
S86	45	(memory DRAM FeRAM).ti,ab,clm. and (capacitor near2 series) and (anti-fuse antifuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 09:44
S87	45	(memory DRAM FeRAM).ti,ab,clm. and (capacitor near2 series) and (series near10 anti-fuse antifuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 09:56

EAST Search History

S88	8	"873969".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 09:58
S89	1	fld near20 (antifuse anti-fuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:00
S90	159	chalcogenide and memory.ti,ab,clm. and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:27
S91	189	anti-fuse.ti,ab,clm. and capacitor and semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:37
S92	614	(257/530).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/27 13:37
S93	159	S92 and capacitor and (DRAM FeRAM memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:52
S94	2	("20040217441").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:53
S95	1	WO-200261826\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:54
S96	0	@ad="20020808" and lehmann.in.	EPO; DERWENT	OR	OFF	2005/07/27 16:00
S97	2	("20020088998").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:01
S98	2	("4635345").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:06

EAST Search History

S99	2	("5313424").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:02
S10 0	2	("6495426").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:03
S10 1	2	jp-11145414\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:05
S10 2	2005	((257/528) or (257/529) or (257/530) or (257/202)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/07 09:10
S10 3	28	S102 and anti-fuse near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:19
S10 4	88	S102 and (antifuse anti-fuse) near6 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:06
S10 5	3186	((257/528) or (257/529) or (257/530) or (257/532) or (257/312) or (257/202)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/27 17:19
S10 6	135	S105 and (antifuse anti-fuse) near10 capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 17:19
S10 7	2	("20040217441").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 13:33
S10 8	9	"751474".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 13:34
S10 9	2	("20020088998").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 13:42

EAST Search History

S11 0	4580	((257/202) or (257/528) or (257/529) or (257/530) or (257/532) or (257/312)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/21 13:42
S11 1	2	S110 and capacitor near2 variable and (plug contact) and (antifuse anti-fuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 13:44
S11 2	2	("20040217441").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 16:30
S11 3	698	(257/530).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 16:54
S11 4	641	S113 and @ad<"20031224"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 16:55
S11 5	641	S113 and @ad<"20031224"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 17:11
S11 6	210	S113 and @ad<"20031224" and capacitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:03
S11 7	2	("6495246").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 17:29
S11 8	2	("6495426").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 17:31
S11 9	2	jp-11145414\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 17:32

EAST Search History

S12 0	2	("6278149").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 17:46
S12 1	2	("6,495,426").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 17:57
S12 2	0	S120 and (antifuse anti-fuse anti adj fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 17:58
S12 3	153	S113 and @ad<"20031224" and capacitor and (anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 18:47
S12 4	163	(257/312).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 19:02
S12 5	10	S124 and stacked	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 18:56
S12 6	0	("stackednear3(MOSFETMOSMISFE T)").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/06 19:03
S12 7	1325	stack\$3 near2 (MOSFET MOS MISFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 19:03
S12 8	0	stack\$3 near2 (MOSFET MOS MISFET) and plug and (variable adj capacitor varactor varacter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 19:05
S12 9	38	(antifuse anti adj fuse anti-fuse) and (variable adj capacitor varactor varacter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 19:11

EAST Search History

S13 0	420	257/534	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 19:43
S13 1	186	anti-fuse near4 comprising.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 19:48
S13 2	34	anti-fuse near4 metal.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 19:59
S13 3	21	metal adj anti-fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:13
S13 4	10	metal adj anti-fuse and "12" and "14"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:17
S13 5	0	variable adj capacitor near10 (anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:18
S13 6	38	(varactor varacter variable adj capacitor) and (anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:25
S13 7	3	(varactor varacter variable adj capacitor) near25 (anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:37
S13 8	317	(mosfet mos) near10 (anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:38
S13 9	257	(mosfet mos) near5 (anti-fuse anti adj fuse antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:43

EAST Search History

S14 0	20	anti-fuse near10 conformal\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:51
S14 1	0	anti-fuse near5 conformal\$2 near20 (control controllable controllability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:52
S14 2	0	anti-fuse near5 conformal\$2 near20 (reliable reliability control controllable controllability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 21:52
S14 3	1	(antifuse anti-fuse) near5 conformal\$2 near20 (reliable reliability control controllable controllability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 22:12
S14 4	0	interconnect adj metallization near10 (interlayer adj dielectric ILD) near10 (etch\$3 adj step)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 22:13
S14 5	4	interconnect adj metallization near10 (interlayer adj dielectric ILD) near10 etch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/06 22:13
S14 6	2	"20040217441".pn. and (ground adj line G)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 05:58
S14 7	2667	((257/528) or (257/529) or (257/530) or (257/202) or (275/532) or (257/534) or (257/312)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/07 09:10
S14 8	1	S147 and (anti-fues anti adj fuse). clm. and capacitor.clm. and insulati\$2.clm. and plug.clm. and (jung.in. dongbu.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 09:12
S14 9	1	S147 and (anti-fuse anti adj fuse antifuse).clm. and capacitor.clm. and insulati\$2.clm. and plug.clm. and (jung.in. dongbu.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 09:13

EAST Search History

S15 0	1	(anti-fuse anti adj fuse antifuse). clm. and capacitor.clm. and insulati\$2.clm. and plug.clm. and (jung.in. dongbu.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 09:13
S15 1	4	(anti-fuse anti adj fuse antifuse). clm. and capacitor.clm. and insulati\$2.clm. and plug.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/07 09:13
S15 2	2	("20040217441").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 17:05
S15 3	1	(US-20040129999-\$).did.	US-PGPUB	OR	OFF	2006/10/03 17:07
S15 4	0	(US-20040129999-\$).did. and (arrange arranged arrangement) near6 vertical\$2	US-PGPUB	OR	ON	2006/10/03 17:08
S15 5	0	(US-20040129999-\$).did. and (arrange arranged arrangement) and vertical\$2	US-PGPUB	OR	ON	2006/10/03 17:08
S15 6	2	"20040217441".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 13:07
S15 7	5161	((257/202) or (257/312) or (257/528) or (257/529) or (257/530) or (257/532) or (257/534)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/27 14:51
S15 8	202	S157 and (anti\$1fuse antri adj fuse) and capacitor and substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:55
S15 9	142	S157 and (anti\$1fuse antri adj fuse) and capacitor and substrate and @ad<"20021231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:55
S16 0	162	S157 and (anti\$1fuse antri adj fuse) and capacitor and substrate and @ad<"20031223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/27 14:55

EAST Search History

S16 1	2	("20040217441").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 09:45
S16 2	2	S161 and antifuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 09:44
S16 3	1	"5208177".pn. and anti\$1fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 09:44
S16 4	2	"20040217441".pn. and anti\$fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 10:29
S16 6	737	(257/530).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 15:09
S16 7	737	(257/530).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 11:38
S16 8	14	"low" adj pass near10 filter and "high" adj pass near10 filter and neutron adj detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 12:22
S16 9	0	("539419.ap.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 12:22
S17 0	6	"538419".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 12:23
S17 1	2	wo-2004064076\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 12:48

EAST Search History

S17 2	2	wo-2004064076\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 12:48
S17 3	737	(257/530).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 15:10
S17 4	653	S173 and @ad<"20031222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 15:17
S17 5	445	S173 and @ad<"20031222" and anti\$1fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 15:58
S17 6	227	S173 and @ad<"20031222" and anti\$1fuse and (capacitor mosfet mos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:12
S17 7	2	("20030198109").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 16:33
S17 8	225	anti\$1fuse near20 capacitor.ti,ab, clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/16 16:34
S17 9	185	anti\$1fuse near20 capacitor.ti,ab, clm. and @ad<"20031223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/16 16:35
S18 0	4	((("5,208,177") or ("6,448,631")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 07:08
S18 1	2	("20040147087").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 07:10

EAST Search History

S18 2	4	((("20040217441") or ("20020088998")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 07:12
S18 3	2	("6495426").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/17 07:17
S18 4	2	jp-11145414\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 07:21
S18 5	653	257/530.ccls. and @ad<"20031223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 07:52
S18 6	449	257/530.ccls. and @ad<"20031223" and (anti-fuze antifuze anti-fuze antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 07:53
S18 7	402	257/530.ccls. and @ad<"20031223" and (anti-fuze antifuze anti-fuze antifuse).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 08:18
S18 8	402	257/530.ccls. and @ad<"20031223" and (anti-fuze antifuze anti-fuze antifuse).ti,ab,clm. and (anti-fuze antifuze anti-fuze antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 08:38
S18 9	14	257/530.ccls. and @ad<"20031223" and (anti-fuze antifuze anti-fuze antifuse).ti,ab,clm. and (anti-fuze antifuze anti-fuze antifuse) and wider near10 (anti-fuze antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 09:25
S19 0	153	((anti-fuze antifuze anti-fuze antifuse) near4 connect\$3 near4 gate) and (anti-fuze antifuze anti-fuze antifuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 11:23
S19 1	408	(tiw titanium adj tungsten tungsten adj titanium) near4 barrier near4 (alumin\$1um Al copper Cu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 11:24

EAST Search History

S19 2	2	(tiw titanium adj tungsten tungsten adj titanium) near2 barrier near2 (alumin\$1um Al copper Cu) and anti-fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 11:26
S19 3	92	(tiw titanium adj tungsten tungsten adj titanium) near2 barrier near2 (alumin\$1um Al copper Cu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 12:57
S19 4	0	((tiw titanium adj tungsten tungsten adj titanium) near2 barrier near2 (alumin\$1um Al copper Cu)) near10 oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 12:58
S19 5	46	((tiw titanium adj tungsten tungsten adj titanium) near2 barrier) near10 oxide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 12:58
S19 6	7	((tiw titanium adj tungsten tungsten adj titanium) near2 barrier) near10 oxide near10 (alumin\$1um copper Al Cu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 12:58
S19 7	140	bit\$1line and word\$1line and (antifuse anti-fuse) and (MOS MOSFET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 18:18
S19 8	31	bit\$1line and word\$1line and (antifuse anti-fuse) and (MOS MOSFET) and programmable adj gate adj array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 18:25
S19 9	61	bit\$1line and word\$1line and (MOS MOSFET) and programmable adj gate adj array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 18:29
S20 0	28	bit\$1line and word\$1line and programmable adj gate adj array.ti, ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 18:37
S20 1	11	bit\$1line near4 word\$1line near4 perpendicular and (memory programmable adj2 gate) adj array. ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 18:40

EAST Search History

S20 2	16	bit\$1line near6 word\$1line near6 perpendicular and (memory programmable adj2 gate) adj array. ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/17 18:40
----------	----	---	---	----	----	------------------